IN THE CLAIMS

Please amend the following claims which are pending in the present

application:

1 - 7. (Cancelled)

(Currently amended) A process for preparing a carbon nanotube or carbon

nanofiber electrode, comprising the steps of:

(1) preparing an electrode material by mixing the carbon nanotubes or

carbon nanofibers with a binder such as comprising sulfur or metal nanoparticles

or by depositing [[the]] sulfur or metal nanoparticles on the carbon nanotubes or

carbon nanofibers;

(2) preparing a pressed electrode material by first pressing the electrode

material; and

(3) subsequently pressing or heat-treating the previously pressed electrode

material that is placed on [[the]] a current collector so that the carbon nanotubes

or nanofibers are bonded to each other and simultaneously bonded to the current

collector.

(Original) The process according to claim 8, wherein in step (2), the electrode

material is uniformly dispersed on the current collector and then pressed, or

simultaneously dispersed and pressed.

Young Nam Kim

Application No.: 10/783,265 - 2 -

Examiner: Karie Amber O'Neill

Art Unit: 1745

(Original) The process according to claim 8, wherein in step (2), the sulfur or

metal nanoparticles are pressed under a pressure of from 1 to 500 atm.

(Original) The process according to claim 8, wherein in step (3), the sulfur

or metal nanoparticles are pressed under a pressure of from 1 to 500 atm or heat-

treated at a temperature in the range of the melting point of the metals or metal

compounds ± 500 °C in an inert gas atmosphere.

(Original) The process according to claim 8, wherein in step of (1), the

mixing of the carbon nanotubes or carbon nanofibers with the sulfur or metal

nanoparticles is performed by a method chosen from the group consisting of

physical mixing, ultrasonic-mixing, solvent-mixing, and uniformly dispersing

the sulfur or metal nanoparticles on the surfaces of the carbon nanotubes or

carbon nanofibers.

(Original) The process according to claim 12, wherein the method of

uniformly dispersing the sulfur or metal nanoparticles on the surfaces of the

carbon nanotubes or carbon nanofibers is carried out by a method selected from

the group consisting of catalytic impregnation followed by an optional oxidation

or reduction, precipitation, chemical vapor deposition (CVD), electrodeposition,

plasma spraying, and sputtering.

Examiner: Karie Amber O'Neill Application No.: 10/783,265 - 3 -Art Unit: 1745

14. (Original) The process according to claim 8, wherein the primary pressing

in step (2) provides the electrode material in the shape of a disk or thin film.

15. (Original) The process according to claim 8, wherein in step (3), the

pressing and the heat-treatment are carried out simultaneously or consecutively.

16. (Original) The process according to claim 8, wherein in step (3), the heat-

treatment is carried out by a heating method selected from the group of thermal

heating, chemical vapor deposition, plasma heating, RF (radio frequency)

heating, and microwave heating.

17-19. (Canceled)

20. (Original) A secondary battery comprising the carbon nanotube or carbon

nanofiber electrode prepared according to the process of claim 8.

21-22. (Canceled)

Examiner: Karie Amber O'Neill Art Unit: 1745

- 4 -